



SMARTWALL



GTEK™ Smartwall

The smarter choice for your premium interior wall finish



Environmental



Faster



Locally made



Smoother



Smarter



Defined corners



Premium plasterboard wall finish from GTEK™

- Applied to double brick construction, drywall lining is used instead of traditional plaster.
- GTEK™ Smartwall creates smooth internal walls with a fast and efficient installation process, giving an easy to maintain finish that is resistant to settling and cornice cracking.



Environmentally friendly

- GTEK™ Smartwall is a smarter choice for the environmentally conscious. The installation of GTEK™ Smartwall is a clean process which means very little waste on site.
- There are fewer empty bags and no sand and cement waste left on site to be taken to landfill so GTEK™ Smartwall is kinder to our environment.
- GTEK™ Smartwall uses up to 15% recycled gypsum in our boards and we use 100% recycled paper lining on the front and back.
- GTEK™ Smartwall has been certified by GECA, which means that the products and their manufacturing environment have been evaluated and deemed to comply with the strict guidelines set by GECA.





Locally made in WA

- GTEK™ Smartwall is proudly manufactured locally in Perth contributing to the WA economy by employing WA people. It also means that product is always readily available.



Smoother, premium wall finish

- GTEK™ Smartwall provides a significantly smoother wall finish and a more comfortable room environment.
- GTEK™ Smartwall can be painted immediately by the builder or homeowner after installation. No need to wait until the plaster dries out.



Easier to maintain and repair

- GTEK™ Smartwall is easy to repair if damaged and will result in less wall and cornice cracking than traditional plaster.



More defined corners


- GTEK™ Smartwall produces cleaner, more defined corners.




How is GTEK™ Smartwall installed?

GTEK™ Smartwall is installed using drywall lining rather than traditional plaster. It arrives on site as full sheets and is measured and cut to size on site as required.

There is a specific water-resistant board designed for use in wet areas of the home such as bathrooms and laundries to withstand moisture and humidity.



The bricks are cleaned before installation of the GTEK™ Smartwall. Masonry Adhesive is then applied directly to the wall at specific spacings.



The GTEK™ Smartwall boards are then installed. Window and door openings are cut around as required.



Joints and corners are then flushed and finished which includes a final sanding coat ensuring a clean and smooth finish to the GTEK™ Smartwall.



The finished GTEK™ Smartwall can then be painted immediately after installation.

GTEK™ Smartwall The smarter choice for internal walls

For more information on GTEK™ Smartwall, visit gtekplasterboard.com.au/smartwall or call 08 9374 2900.